

INDEX to VOL. LXXXVII. (A)

- Abney (Sir W. de W.) On the Extinction of Light by an Illuminated Retina, 147 ;
— Colour-blindness and the Trichromatic Theory of Colour Vision. Part IV.—
Incomplete Colour-blindness, 326 ; — Trichromatic Theory of Colour Vision.—
The Measurement of Retinal Fatigue, 415.
- Alcohols, influence on conversion of ammoniac cyanate into urea (Walker), 539.
- Ammoniac cyanate, conversion into urea, as influenced by alcohols (Walker), 539.
- Anchor-ring, electrical vibrations on a thin (Rayleigh), 193.
- Armstrong (H. E.) and Rodd (E. H.) Morphological Studies of Benzene Derivatives.
III.—Paradibromobenzene Sulphonates (Isomorphous) of the "Rare Earth"
Elements, 204.
- Armstrong (H. E.) and Worley (F. P.) Studies of the Processes operative in Solutions.
XXIV.—The Nature of the Hydrolytic Process, 604.
- Aston (F. W.) On the Discharge between Concentric Cylinders in Gases at Low
Pressures, 428 ; — On the Influence of the Nature of the Cathode on the Length
of the Crookes Dark Space, 437.
- Ball (W. C.) On Changes in the Absorption Spectra of "Didymium" Salts, 121.
- Barlow (G.) On the Torque produced by a Beam of Light in Oblique Refraction through
a Glass Plate, 1.
- Beatty (R. T.) The Direct Production of Characteristic Röntgen Radiations by Cathode
Particles, 511.
- Benzene derivatives, morphological studies of. III.—Paradibromobenzenesulphonates
(isomorphous) of the "rare-earth" elements (Armstrong and Rodd), 204.
- β -particles, absorption and reflection of (Wilson), 310 ; — number emitted in trans-
formation of radium (Moseley), 230 ; — reflected by sheets of matter of different
thicknesses (Wilson), 100.
- β -rays, absorption of (Gray), 487.
- Borohydrates.—Part I (Travers and Ray), 163.
- Boys (C. V.) Experiments with Rotating Films, 340.
- Campbell (A.) On the Determination of the Absolute Unit of Resistance by Alternating
Current Methods, 391.
- Cane sugar, hydrolysis by dilute acids (Worley), 555.
- Carbon dioxide, viscosity of (Phillips), 48.
- Carothers (S. D.) Portland Experiments on the Flow of Oil in Tubes, 154.
- Cathode particles, direct production of characteristic Röntgen radiations by (Beatty),
511.
- Chamber crank chain, theory of new form of (Hele-Shaw), 62.
- Chemical actions, molecular statistics of (Strutt), 302.
- Chemical reaction, apparent change in weight during (Manley), 202.
- Colour-blindness, incomplete (Abney), 326.
- Colour vision, trichromatic theory of, and colour-blindness (Abney), 326, 415.
- Convergence of series involving Fourier constants of a function (Young), 217.
- Copper—cuprous oxide system, dissociation pressures and melting points (Slade and
Farrow), 524.

- Cortie (A. L.) Report on the Total Solar Eclipse of 1911, April 28, 293.
 Critical point, optical properties at (Smith), 366.
 Crookes dark space, influence of nature of cathode on (Aston), 457.
- Darwin (C. G.) See Marsden and Darwin.
 "Didymium" salts, changes in absorption spectra of (Ball), 121.
 Discharge between concentric cylinders in gases (Aston), 428.
- Eccles (W. H.) On the Diurnal Variation of the Electric Waves occurring in Nature,
 and on the Propagation of Electric Waves round the Bend of the Earth, 79.
 Eclipse, total solar, of 1911, April 28 (Cortie), 293.
 Electric capacity coefficients of spheres (Russell), 485.
 Electric waves occurring in nature, diurnal variations of, and propagation of waves round
 bend of earth (Eccles), 79.
 Emissivity of solid and liquid gold at high temperatures, comparison with that of a full
 radiator (Stubbs and Prideaux), 451.
- Farrow (F. D.) See Slade and Farrow.
 Films, experiments with rotating (Boys), 340.
 Flow of oil in tubes, experiments on (Carothers), 154.
 Fourier constants, etc. (Young), 217, 225, 331.
 Furnace, electric, for experiments *in vacuo* (Slade), 519.
- γ -rays and X-rays, similarity in nature (Gray), 489.
 Geddes (A. E. M.) See Niven and Geddes.
 Gel, formation of heat-reversible (Hardy), 29.
 Gifford (J. W.) The Existing Limits of Uniformity in Producing Optical Glass, 189.
 Glass, limits of uniformity in optical (Gifford), 189.
 Gold, emissivity of, at high temperatures, comparison with full radiator (Stubbs and
 Prideaux), 451.
 Gray (J. A.) A Note on the Absorption of β -Rays, 487 ; — The Similarity in Nature
 of X- and Primary γ -Rays, 489.
- Hardy (W. B.) On the Formation of a Heat-reversible Gel, 29.
 Hartley (Sir W. N.) and Moss (H. W.) On the Ultimate Lines and the Quantities of the
 Elements producing these Lines in Spectra of the Oxyhydrogen Flame and Spark, 38.
 Haselfoot (C. E.) The Diffusion of Ions into Gases at Low Pressure, 350.
 Heat, method of finding conductivity for (Niven and Geddes), 535.
 Hele-Shaw (H. S.) Theory of a New Form of the Chamber Crank Chain, 62.
 Helium and other gases, absorption under electric discharge (Strutt), 381.
 Hopkinson (B.) and Williams (G. T.) The Elastic Hysteresis of Steel, 502.
 Hydrolysis of cane-sugar by dilute acids (Worley), 555 ; by sulphuric acid (Worley), 563 ;
 of methylic acetate by acids (Worley), 582.
 Hydrolytic process, nature of the (Armstrong and Worley), 604.
- Ionising particles in gases, apparatus for making visible tracks of (Wilson), 277.
 Ionium, investigation of the spectrum of (Russell and Rossi), 478.
 Ions, diffusion into gases at low pressure (Haselfoot), 350.
 Ions, negative, in a gas, effect of a magnetic force on motion of (Townsend and Tizard),
 357.
- Jeffery (G. B.) On a Form of the Solution of Laplace's Equation suitable for Problems
 relating to Two Spheres, 109.

- Laplace's equation, form of solution suitable for two-sphere problems (Jeffery), 109.
- Light, extinction of, by illuminated retina (Abney), 147 ; — obliquely refracted, torque produced by (Barlow), 1.
- Liquid films, experiments with rotating (Boys), 340.
- McLennan (J. C.) On the Series Lines in the Arc Spectrum of Mercury, 256 ; — On the Constitution of the Mercury Green Line $\lambda = 5461$ Å.U., and on the Magnetic Resolution of its Satellites, 269.
- Mallock (A.) Some Unclassified Mechanical Properties of Solids and Liquids, 466.
- Manley (J. J.) On the Apparent Change in Weight during Chemical Reaction, 202.
- Marsden (E.) and Darwin (C. G.) The Transformations of the Active Deposit of Thorium, 17.
- Measuring machine, standard (Shaw), 385.
- Mechanical properties of solids and liquids, unclassified (Mallock), 466.
- Mercury green line, constitution of, and magnetic resolution of its satellites (McLennan), 269.
- Mercury, series lines in arc spectrum of (McLennan), 256.
- Merton (T. R.) The Changes in Certain Absorption Spectra in Different Solvents, 138.
- Methylic acetate, hydrolysis by acids (Worley), 582.
- Molecular statistics of chemical actions (Strutt), 302.
- Moseley (H. G. J.) The Number of β -Particles emitted in the Transformation of Radium, 230.
- Moss (H. W.) See Hartley and Moss.
- Nitrogen, chemically active modification of, IV (Strutt), 179.
- Niven (C.) and Geddes (A. E. M.) On a Method of Finding the Conductivity for Heat, 535.
- Optical glass, limits of uniformity in producing (Gifford), 189.
- Optical investigation of crystallised nitrogen, argon, methane, etc. (Wahl), 371.
- Optical methods for physico-chemical determinations at high pressures (Wahl), 152.
- Optical properties of substances at the critical point (Smith), 366.
- Phillips (P.) The Viscosity of Carbon Dioxide, 48.
- Polarimetric observations, note on apparatus used in determining rate of chemical change by (Worley), 577.
- Prideaux (E. B. R.) See Stubbs and Prideaux.
- Radium, number of β -particles emitted in transformation of (Moseley), 230.
- Ray (R. C.) See Travers and Ray.
- Rayleigh (Lord) Electrical Vibrations on a Thin Anchor-Ring, 193.
- Resistance, determination of absolute unit of (Campbell), 391.
- Retina, extinction of light by illuminated (Abney), 147.
- Retinal fatigue, measurement of (Abney), 415.
- Rodd (E. H.) See Armstrong and Rodd.
- Röntgen radiations, characteristic, direct production by cathode particles (Beatty), 511.
- Rossi (R.) See Russell (A. S.) and Rossi.
- Ruhmkorff coil, influence of condenser on working of (Wilson), 69.
- Russell (A. S.) and Rossi (R.) An Investigation of the Spectrum of Ionium, 478.
- Russell (Alex.) Note on the Electric Capacity Coefficients of Spheres, 485.
- Shaw (P. E.) A Standard Measuring Machine, 385.
- Slade (R. E.) An Electric Furnace for Experiments *in vacuo* at Temperatures up to 1500° C., 519 ; — and Farrow (F. D.) An Investigation of the Dissociation Pressures and Melting Points of the System Copper-Cuprous Oxide, 524.

- Smith (C.) Optical Properties of Substances at the Critical Point, 366.
 Solids and liquids, unclassified mechanical properties of (Mallock), 466.
 Solutions, processes operative in, XX (Walker), 539 ; XXI (Worley), 555 ; XXII (Worley), 563 ; XXIII (Worley), 582 ; XXIV (Armstrong and Worley), 604.
 Spectra, absorption, changes in, in different solvents (Merton), 138.
 Spectra of oxyhydrogen flame and spark, ultimate lines in (Hartley and Moss), 38.
 Spheres, electric capacity coefficients of (Russell), 485.
 Steel, elastic hysteresis of (Hopkinson and Williams), 502.
 Strutt (R. J.) A Chemically Active Modification of Nitrogen produced by the Electric Discharge.—IV, 179 ; — The Molecular Statistics of some Chemical Actions, 302 ; — Absorption of Helium and other Gases under the Electric Discharge, 381.
 Stubbs (C. M.) and Prideaux (E. B. R.) A Spectro-photometric Comparison of the Emissivity of Solid and Liquid Gold at High Temperatures with that of a Full Radiator, 451.
 Summable functions, classes of, and their Fourier series (Young), 225.
 Thorium, transformations of active deposit of (Marsden and Darwin), 17.
 Tizard, H. T. See Townsend and Tizard.
 Torque produced by obliquely refracted light (Barlow), 1.
 Townsend (J. S.) and Tizard (H. T.) Effect of a Magnetic Flow on the Motion of Negative Ions in a Gas, 357.
 Travers (M. W.) and Ray (R. C.) Borohydrates.—Part I, 163.
 Wahl (W.) Physico-Chemical Determinations at High Pressures by Optical Methods, 152 ; — Optical Investigation of Crystallised Nitrogen, Argon, Methane, and some of the simpler Organic Compounds of Low Melting Points, 371.
 Walker (E. E.) Studies of the Processes operative in Solutions. XX.—The Conversion of Ammonic Cyanate into Urea, especially as influenced by Alcohols, 539.
 Williams (G. T.) See Hopkinson and Williams.
 Wilson (C. T. R.) On an Expansion Apparatus for making Visible the Tracks of Ionising Particles in Gases and some Results obtained by its Use, 277.
 Wilson (W.) On the β -Particles Reflected by Sheets of Matter of Different Thicknesses, 100 ; — On the Absorption and Reflection of Homogeneous β -Particles, 310.
 Wilson (W. H.) An Experimental Investigation of the Influence of the Condenser on the Working of a Ruhmkorff Coil, 69.
 Worley (F. P.) Studies of the Processes operative in Solutions. XXI.—The Hydrolysis of Cane Sugar by Dilute Acids, 555 ; XXII.—The Hydrolysis of Cane Sugar by Sulphuric Acid ; also a Note on Improvements in Polarimetric Apparatus, 563 ; XXIII.—The Hydrolysis of Methyl Acetate by Acids, 582. (See also Armstrong and Worley.)
 X-rays and primary γ -rays, similarity in nature (Gray), 489.
 Young (W. H.) On the Convergence of certain Series Involving the Fourier Constants of a Function, 217 ; — On Classes of Summable Functions and their Fourier Series, 225 ; — On the Multiplication of Successions of Fourier Constants, 331.

END OF THE EIGHTY-SEVENTH VOLUME (SERIES A).